
Python Library Reference, Macintosh addendum

Release 1.5.1

Guido van Rossum

April 14, 1998

Corporation for National Research Initiatives (CNRI)
1895 Preston White Drive, Reston, Va 20191, USA
E-mail: guido@CNRI.Reston.Va.US, guido@python.org

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of Stichting Mathematisch Centrum or CWI or Corporation for National Research Initiatives or CNRI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

While CWI is the initial source for this software, a modified version is made available by the Corporation for National Research Initiatives (CNRI) at the Internet address <ftp://ftp.python.org>.

STICHTING MATHEMATISCH CENTRUM AND CNRI DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM OR CNRI BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Abstract

Python is an extensible, interpreted, object-oriented programming language. It supports a wide range of applications, from simple text processing scripts to interactive WWW browsers.

This manual describes modules that are specific to the implementation of Python on the Apple Macintosh, and should be used as an addendum to the platform-independent *Python Library Reference*.

CONTENTS

1	Introduction	1
2	Unimplemented Modules	3
3	Macintosh Specific Services	5
3.1	Built-in Module <code>mac</code>	6
3.2	Standard Module <code>macpath</code>	6
3.3	Built-in Module <code>ctb</code>	6
	connection object	6
3.4	Built-in Module <code>macfs</code>	7
	FSSpec objects	9
	Alias Objects	9
	FInfo Objects	9
3.5	Standard Module <code>ic</code>	10
	IC Objects	10
3.6	Built-in Module <code>MacOS</code>	11
3.7	Standard Module <code>macostools</code>	12
3.8	Standard Module <code>findertools</code>	12
3.9	Built-in Module <code>macspeech</code>	13
	Voice Objects	13
	Speech Channel Objects	14
3.10	Standard Module <code>EasyDialogs</code>	14
3.11	Standard Module <code>FrameWork</code>	15
	Application Objects	15
	Window Objects	16
	ControlsWindow Object	17
	ScrolledWindow Object	17
	DialogWindow Objects	17
3.12	Standard Module <code>MiniAERFrame</code>	18
	AESEServer Objects	18
	Module Index	19
	Index	21

Introduction

This manual describes the MacOS-specific modules available in Python for the Apple Macintosh. Most of the modules described in the *Python Library Reference* are also available, with the exceptions listed below.

For quite a few modules this manual does not give enough information, and you will need additional documentation. This is the case for the *toolbox modules*, for which Apple's *Inside Macintosh* is the motherlode of information and the *waste* module, for which you need the documentation for the C API. Pointers to internet-based sources of these documents are available in the documentation included with the MacPython installer.

Unimplemented Modules

The following modules described in the *Python Library Reference* are not available or not fully implemented on the Macintosh:

locale — No support for locale setting in the underlying C implementation (yet).

signal — Unix-specific

thread — No support for multiple threads in MacPython (yet).

posix — `mac` provides similar functionality, and you should use `os` anyway...

crypt — Unix-specific

dbm — Unix-specific, but `gdbm` is available.

termios — Unix-specific. Similar functionality is available in `ctb`.

fcntl, resource, syslog — Unix-specific.

mpz

Additionally, the modules described in the *SGI IRIX Specific services* and *SunOS Specific Services* are not available either.

Macintosh Specific Services

The modules in this chapter are available on the Apple Macintosh only.

Aside from the modules described here there are also interfaces to various MacOS toolboxes, which are currently not extensively described. The toolboxes for which modules exist are: `AE` (Apple Events), `Cm` (Component Manager), `Ctl` (Control Manager), `Dlg` (Dialog Manager), `Evt` (Event Manager), `Fm` (Font Manager), `List` (List Manager), `Menu` (Menu Manager), `Qd` (QuickDraw), `Qt` (QuickTime), `Res` (Resource Manager and Handles), `Scrap` (Scrap Manager), `Snd` (Sound Manager), `TE` (TextEdit), `Waste` (non-Apple **TextEdit** replacement) and `Win` (Window Manager).

If applicable the module will define a number of Python objects for the various structures declared by the toolbox, and operations will be implemented as methods of the object. Other operations will be implemented as functions in the module. Not all operations possible in C will also be possible in Python (callbacks are often a problem), and parameters will occasionally be different in Python (input and output buffers, especially). All methods and functions have a `__doc__` string describing their arguments and return values, and for additional description you are referred to *Inside Macintosh* or similar works.

The following modules are documented here:

mac — Similar interfaces to the `posix` module.

macpath — Path manipulation functions; use via `os.path`.

ctb — Interfaces to the Communications Tool Box. Only the Connection Manager is currently supported.

macconsole — Think C's console package is available using this module.

macdnr — Interfaces to the Macintosh Domain Name Resolver.

macfs — Support for FSSpec, the Alias Manager, **finder** aliases, and the Standard File package.

macic — Internet Config.

MacOS — Access to MacOS specific interpreter features.

macostools — Convenience routines for file manipulation.

findertools — Wrappers around the **finder**'s Apple Events interface.

mactcp — The MacTCP interfaces.

macspeech — Interface to the Macintosh Speech Manager.

EasyDialogs — Basic Macintosh dialogs.

FrameWork — Interactive application framework.

MiniAEFrame — Support to act as an Open Scripting Architecture (OSA) server ("Apple Events").

3.1 Built-in Module `mac`

This module provides a subset of the operating system dependent functionality provided by the optional built-in module `posix`. It is best accessed through the more portable standard module `os`.

The following functions are available in this module: `chdir()`, `close()`, `dup()`, `fdopen()`, `getcwd()`, `lseek()`, `listdir()`, `mkdir()`, `open()`, `read()`, `rename()`, `rmdir()`, `stat()`, `sync()`, `unlink()`, `write()`, as well as the exception `error`. Note that the times returned by `stat()` are floating-point values, like all time values in MacPython.

One additional function is available: `xstat()`. This function returns the same information as `stat()`, but with three extra values appended: the size of the resource fork of the file and its 4-char creator and type.

3.2 Standard Module `macpath`

This module provides a subset of the pathname manipulation functions available from the optional standard module `posixpath`. It is best accessed through the more portable standard module `os`, as `os.path`.

The following functions are available in this module: `normcase()`, `normpath()`, `isabs()`, `join()`, `split()`, `isdir()`, `isfile()`, `walk()`, `exists()`. For other functions available in `posixpath` dummy counterparts are available.

3.3 Built-in Module `ctb`

This module provides a partial interface to the Macintosh Communications Toolbox. Currently, only Connection Manager tools are supported. It may not be available in all Mac Python versions.

error

The exception raised on errors.

cmData

cmCntl

cmAttn

Flags for the *channel* argument of the `Read()` and `Write()` methods.

cmFlagsEOM

End-of-message flag for `Read()` and `Write()`.

choose*

Values returned by `Choose()`.

cmStatus*

Bits in the status as returned by `Status()`.

available()

Return 1 if the Communication Toolbox is available, zero otherwise.

CMNew(*name, sizes*)

Create a connection object using the connection tool named *name*. *sizes* is a 6-tuple given buffer sizes for data in, data out, control in, control out, attention in and attention out. Alternatively, passing `None` for *sizes* will result in default buffer sizes.

connection object

For all connection methods that take a *timeout* argument, a value of `-1` is indefinite, meaning that the command runs to completion.

callback

If this member is set to a value other than `None` it should point to a function accepting a single argument (the

connection object). This will make all connection object methods work asynchronously, with the callback routine being called upon completion.

Note: for reasons beyond my understanding the callback routine is currently never called. You are advised against using asynchronous calls for the time being.

Open(*timeout*)

Open an outgoing connection, waiting at most *timeout* seconds for the connection to be established.

Listen(*timeout*)

Wait for an incoming connection. Stop waiting after *timeout* seconds. This call is only meaningful to some tools.

accept(*yesno*)

Accept (when *yesno* is non-zero) or reject an incoming call after `Listen()` returned.

Close(*timeout, now*)

Close a connection. When *now* is zero, the close is orderly (i.e. outstanding output is flushed, etc.) with a timeout of *timeout* seconds. When *now* is non-zero the close is immediate, discarding output.

Read(*len, chan, timeout*)

Read *len* bytes, or until *timeout* seconds have passed, from the channel *chan* (which is one of `cmData`, `cmCntl` or `cmAttn`). Return a 2-tuple: the data read and the end-of-message flag, `cmFlagsEOM`.

Write(*buf, chan, timeout, eom*)

Write *buf* to channel *chan*, aborting after *timeout* seconds. When *eom* has the value `cmFlagsEOM`, an end-of-message indicator will be written after the data (if this concept has a meaning for this communication tool). The method returns the number of bytes written.

Status()

Return connection status as the 2-tuple (*sizes, flags*). *sizes* is a 6-tuple giving the actual buffer sizes used (see `CMNew()`), *flags* is a set of bits describing the state of the connection.

GetConfig()

Return the configuration string of the communication tool. These configuration strings are tool-dependent, but usually easily parsed and modified.

SetConfig(*str*)

Set the configuration string for the tool. The strings are parsed left-to-right, with later values taking precedence. This means individual configuration parameters can be modified by simply appending something like `'baud 4800'` to the end of the string returned by `GetConfig()` and passing that to this method. The method returns the number of characters actually parsed by the tool before it encountered an error (or completed successfully).

Choose()

Present the user with a dialog to choose a communication tool and configure it. If there is an outstanding connection some choices (like selecting a different tool) may cause the connection to be aborted. The return value (one of the `choose*` constants) will indicate this.

Idle()

Give the tool a chance to use the processor. You should call this method regularly.

Abort()

Abort an outstanding asynchronous `Open()` or `Listen()`.

Reset()

Reset a connection. Exact meaning depends on the tool.

Break(*length*)

Send a break. Whether this means anything, what it means and interpretation of the *length* parameter depends on the tool in use.

3.4 Built-in Module `macfs`

This module provides access to Macintosh FSSpec handling, the Alias Manager, **finder** aliases and the Standard File package.

Whenever a function or method expects a *file* argument, this argument can be one of three things: (1) a full or partial Macintosh pathname, (2) an FSSpec object or (3) a 3-tuple (*wdRefNum*, *parID*, *name*) as described in *Inside Macintosh: Files*. A description of aliases and the Standard File package can also be found there.

FSSpec(*file*)

Create an FSSpec object for the specified file.

RawFSSpec(*data*)

Create an FSSpec object given the raw data for the C structure for the FSSpec as a string. This is mainly useful if you have obtained an FSSpec structure over a network.

RawAlias(*data*)

Create an Alias object given the raw data for the C structure for the alias as a string. This is mainly useful if you have obtained an FSSpec structure over a network.

FInfo()

Create a zero-filled FInfo object.

ResolveAliasFile(*file*)

Resolve an alias file. Returns a 3-tuple (*fsspec*, *isfolder*, *aliased*) where *fsspec* is the resulting FSSpec object, *isfolder* is true if *fsspec* points to a folder and *aliased* is true if the file was an alias in the first place (otherwise the FSSpec object for the file itself is returned).

StandardGetFile([*type*, ...])

Present the user with a standard “open input file” dialog. Optionally, you can pass up to four 4-character file types to limit the files the user can choose from. The function returns an FSSpec object and a flag indicating that the user completed the dialog without cancelling.

PromptGetFile(*prompt*[, *type*, ...])

Similar to `StandardGetFile()` but allows you to specify a prompt.

StandardPutFile(*prompt*, [*default*])

Present the user with a standard “open output file” dialog. *prompt* is the prompt string, and the optional *default* argument initializes the output file name. The function returns an FSSpec object and a flag indicating that the user completed the dialog without cancelling.

GetDirectory([*prompt*])

Present the user with a non-standard “select a directory” dialog. *prompt* is the prompt string, and the optional. Return an FSSpec object and a success-indicator.

SetFolder([*fsspec*])

Set the folder that is initially presented to the user when one of the file selection dialogs is presented. *fsspec* should point to a file in the folder, not the folder itself (the file need not exist, though). If no argument is passed the folder will be set to the current directory, i.e. what `os.getcwd()` returns.

Note that starting with system 7.5 the user can change Standard File behaviour with the “general controls” controlpanel, thereby making this call inoperative.

FindFolder(*where*, *which*, *create*)

Locates one of the “special” folders that MacOS knows about, such as the trash or the Preferences folder. *where* is the disk to search, *which* is the 4-character string specifying which folder to locate. Setting *create* causes the folder to be created if it does not exist. Returns a (*vrefnum*, *dirid*) tuple.

NewAliasMinimalFromFullPath(*pathname*)

Return a minimal alias object that points to the given file, which must be specified as a full pathname. This is the only way to create an Alias pointing to a non-existing file.

The constants for *where* and *which* can be obtained from the standard module *MACFS*.

FindApplication(*creator*)

Locate the application with 4-char creator code *creator*. The function returns an FSSpec object pointing to the application.

FSSpec objects

data

The raw data from the FSSpec object, suitable for passing to other applications, for instance.

as_pathname()

Return the full pathname of the file described by the FSSpec object.

as_tuple()

Return the (*wdRefNum*, *parID*, *name*) tuple of the file described by the FSSpec object.

NewAlias([*file*])

Create an Alias object pointing to the file described by this FSSpec. If the optional *file* parameter is present the alias will be relative to that file, otherwise it will be absolute.

NewAliasMinimal()

Create a minimal alias pointing to this file.

GetCreatorType()

Return the 4-character creator and type of the file.

SetCreatorType(*creator*, *type*)

Set the 4-character creator and type of the file.

GetFInfo()

Return a FInfo object describing the finder info for the file.

SetFInfo(*info*)

Set the finder info for the file to the values given as *info* (an FInfo object).

GetDates()

Return a tuple with three floating point values representing the creation date, modification date and backup date of the file.

SetDates(*crdate*, *moddate*, *backupdate*)

Set the creation, modification and backup date of the file. The values are in the standard floating point format used for times throughout Python.

Alias Objects

data

The raw data for the Alias record, suitable for storing in a resource or transmitting to other programs.

Resolve([*file*])

Resolve the alias. If the alias was created as a relative alias you should pass the file relative to which it is. Return the FSSpec for the file pointed to and a flag indicating whether the Alias object itself was modified during the search process. If the file does not exist but the path leading up to it does exist a valid fsspec is returned.

GetInfo(*num*)

An interface to the C routine `GetAliasInfo`().

Update(*file*, [*file2*])

Update the alias to point to the *file* given. If *file2* is present a relative alias will be created.

Note that it is currently not possible to directly manipulate a resource as an Alias object. Hence, after calling `Update`() or after `Resolve`() indicates that the alias has changed the Python program is responsible for getting the `data` value from the Alias object and modifying the resource.

FInfo Objects

See *Inside Macintosh: Files* for a complete description of what the various fields mean.

Creator

The 4-character creator code of the file.

Type

The 4-character type code of the file.

Flags

The finder flags for the file as 16-bit integer. The bit values in *Flags* are defined in standard module `MACFS`.

Location

A Point giving the position of the file's icon in its folder.

Fldr

The folder the file is in (as an integer).

3.5 Standard Module `ic`

This module provides access to Macintosh Internet Config package, which stores preferences for Internet programs such as mail address, default homepage, etc. Also, Internet Config contains an elaborate set of mappings from Macintosh creator/type codes to foreign filename extensions plus information on how to transfer files (binary, ascii, etc).

There is a low-level companion module `icglue` which provides the basic Internet Config access functionality. This low-level module is not documented, but the docstrings of the routines document the parameters and the routine names are the same as for the Pascal or C API to Internet Config, so the standard IC programmers' documentation can be used if this module is needed.

The `ic` module defines the `error` exception and symbolic names for all error codes Internet Config can produce; see the source for details.

error

Exception raised on errors in the `ic` module.

The `ic` module defines the following class and function:

IC([*signature*[, *ic*]])

Create an internet config object. The signature is a 4-character creator code of the current application (default 'Pyth') which may influence some of ICs settings. The optional *ic* argument is a low-level `icglue.icinstance` created beforehand, this may be useful if you want to get preferences from a different config file, etc.

launchurl(*url*[, *hint*])

parseurl(*data*[, *start*[, *end*[, *hint*]]])

mapfile(*file*)

maptypecreator(*type*, *creator*[, *filename*])

settypecreator(*file*)

These functions are "shortcuts" to the methods of the same name, described below.

IC Objects

IC objects have a mapping interface, hence to obtain the mail address you simply get `ic['MailAddress']`. Assignment also works, and changes the option in the configuration file.

The module knows about various datatypes, and converts the internal IC representation to a "logical" Python data structure. Running the `ic` module standalone will run a test program that lists all keys and values in your IC database, this will have to server as documentation.

If the module does not know how to represent the data it returns an instance of the `ICOpaqueData` type, with the raw data in its `data` attribute. Objects of this type are also acceptable values for assignment.

Besides the dictionary interface, IC objects have the following methods:

launchurl(*url*[, *hint*])

Parse the given URL, lauch the correct application and pass it the URL. The optional *hint* can be a scheme

name such as 'mailto:', in which case incomplete URLs are completed with this scheme. If *hint* is not provided, incomplete URLs are invalid.

parseurl(*data*[, *start*[, *end*[, *hint*]]])

Find an URL somewhere in *data* and return start position, end position and the URL. The optional *start* and *end* can be used to limit the search, so for instance if a user clicks in a long textfield you can pass the whole textfield and the click-position in *start* and this routine will return the whole URL in which the user clicked. As above, *hint* is an optional scheme used to complete incomplete URLs.

mapfile(*file*)

Return the mapping entry for the given *file*, which can be passed as either a filename or an `macfs.FSSpec()` result, and which need not exist.

The mapping entry is returned as a tuple (*version*, *type*, *creator*, *postcreator*, *flags*, *extension*, *appname*, *postappname*, *mimetype*, *entryname*), where *version* is the entry version number, *type* is the 4-character filetype, *creator* is the 4-character creator type, *postcreator* is the 4-character creator code of an optional application to post-process the file after downloading, *flags* are various bits specifying whether to transfer in binary or ascii and such, *extension* is the filename extension for this file type, *appname* is the printable name of the application to which this file belongs, *postappname* is the name of the postprocessing application, *mimetype* is the MIME type of this file and *entryname* is the name of this entry.

maptypecreator(*type*, *creator*[, *filename*])

Return the mapping entry for files with given 4-character *type* and *creator* codes. The optional *filename* may be specified to further help finding the correct entry (if the creator code is '????', for instance).

The mapping entry is returned in the same format as for *mapfile*.

settypecreator(*file*)

Given an existing *file*, specified either as a filename or as an `macfs.FSSpec()` result, set its creator and type correctly based on its extension. The finder is told about the change, so the finder icon will be updated quickly.

3.6 Built-in Module MacOS

This module provides access to MacOS specific functionality in the Python interpreter, such as how the interpreter eventloop functions and the like. Use with care.

Note the capitalisation of the module name, this is a historical artifact.

Error

This exception is raised on MacOS generated errors, either from functions in this module or from other mac-specific modules like the toolbox interfaces. The arguments are the integer error code (the `OSErr` value) and a textual description of the error code. Symbolic names for all known error codes are defined in the standard module `macerrors`.

SetEventHandler(*handler*)

In the inner interpreter loop Python will occasionally check for events, unless disabled with `ScheduleParams()`. With this function you can pass a Python event-handler function that will be called if an event is available. The event is passed as parameter and the function should return non-zero if the event has been fully processed, otherwise event processing continues (by passing the event to the console window package, for instance).

Call `SetEventHandler()` without a parameter to clear the event handler. Setting an event handler while one is already set is an error.

SchedParams([*doint*[, *evtmask*[, *besocial*[, *interval*[, *bgyield*]]]])

Influence the interpreter inner loop event handling. *Interval* specifies how often (in seconds, floating point) the interpreter should enter the event processing code. When true, *doint* causes interrupt (command-dot) checking to be done. *evtmask* tells the interpreter to do event processing for events in the mask (redraws, mouseclicks to switch to other applications, etc). The *besocial* flag gives other processes a chance to run. They are granted minimal runtime when Python is in the foreground and *bgyield* seconds per *interval* when Python runs in the background.

All parameters are optional, and default to the current value. The return value of this function is a tuple with

the old values of these options. Initial defaults are that all processing is enabled, checking is done every quarter second and the CPU is given up for a quarter second when in the background.

HandleEvent(*ev*)

Pass the event record *ev* back to the Python event loop, or possibly to the handler for the `sys.stdout` window (based on the compiler used to build Python). This allows Python programs that do their own event handling to still have some command-period and window-switching capability.

If you attempt to call this function from an event handler set through `SetEventHandler()` you will get an exception.

GetErrorString(*errno*)

Return the textual description of MacOS error code *errno*.

splash(*resid*)

This function will put a splash window on-screen, with the contents of the DLOG resource specified by *resid*. Calling with a zero argument will remove the splash screen. This function is useful if you want an applet to post a splash screen early in initialization without first having to load numerous extension modules.

DebugStr(*message* [, *object*])

Drop to the low-level debugger with message *message*. The optional *object* argument is not used, but can easily be inspected from the debugger.

Note that you should use this function with extreme care: if no low-level debugger like MacsBug is installed this call will crash your system. It is intended mainly for developers of Python extension modules.

openrf(*name* [, *mode*])

Open the resource fork of a file. Arguments are the same as for the built-in function `open()`. The object returned has file-like semantics, but it is not a Python file object, so there may be subtle differences.

3.7 Standard Module `macostools`

This module contains some convenience routines for file-manipulation on the Macintosh.

The `macostools` module defines the following functions:

copy(*src*, *dst* [, *createpath* [, *copytimes*]])

Copy file *src* to *dst*. The files can be specified as pathnames or FSSpec objects. If *createpath* is non-zero *dst* must be a pathname and the folders leading to the destination are created if necessary. The method copies data and resource fork and some finder information (creator, type, flags) and optionally the creation, modification and backup times (default is to copy them). Custom icons, comments and icon position are not copied.

If the source is an alias the original to which the alias points is copied, not the aliasfile.

copytree(*src*, *dst*)

Recursively copy a file tree from *src* to *dst*, creating folders as needed. *src* and *dst* should be specified as pathnames.

mkalias(*src*, *dst*)

Create a finder alias *dst* pointing to *src*. Both may be specified as pathnames or FSSpec objects.

touched(*dst*)

Tell the finder that some bits of finder-information such as creator or type for file *dst* has changed. The file can be specified by pathname or fsspec. This call should prod the finder into redrawing the files icon.

BUFSIZ

The buffer size for `copy`, default 1 megabyte.

Note that the process of creating finder aliases is not specified in the Apple documentation. Hence, aliases created with `mkalias()` could conceivably have incompatible behaviour in some cases.

3.8 Standard Module `findertools`

This module contains routines that give Python programs access to some functionality provided by the finder. They are implemented as wrappers around the AppleEvent interface to the finder.

All file and folder parameters can be specified either as full pathnames or as FSSpec objects.

The `findertools` module defines the following functions:

launch(*file*)

Tell the finder to launch *file*. What launching means depends on the file: applications are started, folders are opened and documents are opened in the correct application.

Print(*file*)

Tell the finder to print a file (again specified by full pathname or FSSpec). The behaviour is identical to selecting the file and using the print command in the finder.

copy(*file*, *destdir*)

Tell the finder to copy a file or folder *file* to folder *destdir*. The function returns an Alias object pointing to the new file.

move(*file*, *destdir*)

Tell the finder to move a file or folder *file* to folder *destdir*. The function returns an Alias object pointing to the new file.

sleep()

Tell the finder to put the Macintosh to sleep, if your machine supports it.

restart()

Tell the finder to perform an orderly restart of the machine.

shutdown()

Tell the finder to perform an orderly shutdown of the machine.

3.9 Built-in Module `macspeech`

This module provides an interface to the Macintosh Speech Manager, allowing you to let the Macintosh utter phrases. You need a version of the Speech Manager extension (version 1 and 2 have been tested) in your 'Extensions' folder for this to work. The module does not provide full access to all features of the Speech Manager yet. It may not be available in all Mac Python versions.

Available()

Test availability of the Speech Manager extension (and, on the PowerPC, the Speech Manager shared library). Return 0 or 1.

Version()

Return the (integer) version number of the Speech Manager.

SpeakString(*str*)

Utter the string *str* using the default voice, asynchronously. This aborts any speech that may still be active from prior `SpeakString`() invocations.

Busy()

Return the number of speech channels busy, system-wide.

CountVoices()

Return the number of different voices available.

GetIndVoice(*num*)

Return a Voice object for voice number *num*.

Voice Objects

Voice objects contain the description of a voice. It is currently not yet possible to access the parameters of a voice.

GetGender()

Return the gender of the voice: 0 for male, 1 for female and -1 for neuter.

NewChannel()

Return a new Speech Channel object using this voice.

Speech Channel Objects

A Speech Channel object allows you to speak strings with slightly more control than `SpeakString()`, and allows you to use multiple speakers at the same time. Please note that channel pitch and rate are interrelated in some way, so that to make your Macintosh sing you will have to adjust both.

SpeakText(*str*)

Start uttering the given string.

Stop()

Stop babbling.

GetPitch()

Return the current pitch of the channel, as a floating-point number.

SetPitch(*pitch*)

Set the pitch of the channel.

GetRate()

Get the speech rate (utterances per minute) of the channel as a floating point number.

SetRate(*rate*)

Set the speech rate of the channel.

3.10 Standard Module EasyDialogs

The `EasyDialogs` module contains some simple dialogs for the Macintosh, modelled after the `stdwin` dialogs with similar names. All routines have an optional parameter *id* with which you can override the DLOG resource used for the dialog, as long as the item numbers correspond. See the source for details.

The `EasyDialogs` module defines the following functions:

Message(*str*)

A modal dialog with the message text *str*, which should be at most 255 characters long, is displayed. Control is returned when the user clicks “OK”.

AskString(*prompt*[, *default*])

Ask the user to input a string value, in a modal dialog. *prompt* is the prompt message, the optional *default* arg is the initial value for the string. All strings can be at most 255 bytes long. `AskString()` returns the string entered or `None` in case the user cancelled.

AskYesNoCancel(*question*[, *default*])

Present a dialog with text *question* and three buttons labelled “yes”, “no” and “cancel”. Return 1 for yes, 0 for no and -1 for cancel. The default return value chosen by hitting return is 0. This can be changed with the optional *default* argument.

ProgressBar([*label*[, *maxval*]])

Display a modeless progress dialog with a thermometer bar. *label* is the text string displayed (default “Working...”), *maxval* is the value at which progress is complete (default 100). The returned object has one method, `set (value)`, which sets the value of the progress bar. The bar remains visible until the object returned is discarded.

The progress bar has a “cancel” button, but it is currently non-functional.

Note that `EasyDialogs` does not currently use the notification manager. This means that displaying dialogs while the program is in the background will lead to unexpected results and possibly crashes. Also, all dialogs are modeless and hence expect to be at the top of the stacking order. This is true when the dialogs are created, but windows that pop-up later (like a console window) may also result in crashes.

3.11 Standard Module Framework

The Framework module contains classes that together provide a framework for an interactive Macintosh application. The programmer builds an application by creating subclasses that override various methods of the base classes, thereby implementing the functionality wanted. Overriding functionality can often be done on various different levels, i.e. to handle clicks in a single dialog window in a non-standard way it is not necessary to override the complete event handling.

The Framework is still very much work-in-progress, and the documentation describes only the most important functionality, and not in the most logical manner at that. Examine the source or the examples for more details.

The Framework module defines the following functions:

Application()

An object representing the complete application. See below for a description of the methods. The default `_init_()` routine creates an empty window dictionary and a menu bar with an apple menu.

MenuBar()

An object representing the menubar. This object is usually not created by the user.

Menu(*bar*, *title*[, *after*])

An object representing a menu. Upon creation you pass the `MenuBar` the menu appears in, the *title* string and a position (1-based) *after* where the menu should appear (default: at the end).

MenuItem(*menu*, *title*[, *shortcut*, *callback*])

Create a menu item object. The arguments are the menu to create the item in, the item title string and optionally the keyboard shortcut and a callback routine. The callback is called with the arguments menu-id, item number within menu (1-based), current front window and the event record.

In stead of a callable object the callback can also be a string. In this case menu selection causes the lookup of a method in the topmost window and the application. The method name is the callback string with 'domenu_' prepended.

Calling the `MenuBar fixmenudimstate` method sets the correct dimming for all menu items based on the current front window.

Separator(*menu*)

Add a separator to the end of a menu.

SubMenu(*menu*, *label*)

Create a submenu named *label* under menu *menu*. The menu object is returned.

Window(*parent*)

Creates a (modeless) window. *Parent* is the application object to which the window belongs. The window is not displayed until later.

DialogWindow(*parent*)

Creates a modeless dialog window.

windowbounds(*width*, *height*)

Return a (*left*, *top*, *right*, *bottom*) tuple suitable for creation of a window of given width and height. The window will be staggered with respect to previous windows, and an attempt is made to keep the whole window on-screen. The window will however always be exact the size given, so parts may be offscreen.

setwatchcursor()

Set the mouse cursor to a watch.

setarrowcursor()

Set the mouse cursor to an arrow.

Application Objects

Application objects have the following methods, among others:

makeusermenus()

Override this method if you need menus in your application. Append the menus to the attribute `menubar`.

getabouttext()

Override this method to return a text string describing your application. Alternatively, override the `do_about`() method for more elaborate “about” messages.

mainloop([*mask*[, *wait*]])

This routine is the main event loop, call it to set your application rolling. *Mask* is the mask of events you want to handle, *wait* is the number of ticks you want to leave to other concurrent application (default 0, which is probably not a good idea). While raising `self` to exit the mainloop is still supported it is not recommended, call `self._quit` instead.

The event loop is split into many small parts, each of which can be overridden. The default methods take care of dispatching events to windows and dialogs, handling drags and resizes, Apple Events, events for non-FrameWork windows, etc.

In general, all event handlers should return 1 if the event is fully handled and 0 otherwise (because the front window was not a FrameWork window, for instance). This is needed so that update events and such can be passed on to other windows like the Sioux console window. Calling `MacOS.HandleEvent`() is not allowed within `our_dispatch` or its callees, since this may result in an infinite loop if the code is called through the Python inner-loop event handler.

asyncevents(*onoff*)

Call this method with a nonzero parameter to enable asynchronous event handling. This will tell the inner interpreter loop to call the application event handler `async_dispatch` whenever events are available. This will cause FrameWork window updates and the user interface to remain working during long computations, but will slow the interpreter down and may cause surprising results in non-reentrant code (such as FrameWork itself). By default `async_dispatch` will immediately call `our_dispatch` but you may override this to handle only certain events asynchronously. Events you do not handle will be passed to Sioux and such.

The old on/off value is returned.

_quit()

Terminate the running `mainloop`() call at the next convenient moment.

do_char(*c*, *event*)

The user typed character *c*. The complete details of the event can be found in the *event* structure. This method can also be provided in a Window object, which overrides the application-wide handler if the window is frontmost.

do_dialogevent(*event*)

Called early in the event loop to handle modeless dialog events. The default method simply dispatches the event to the relevant dialog (not through the the `DialogWindow` object involved). Override if you need special handling of dialog events (keyboard shortcuts, etc).

idle(*event*)

Called by the main event loop when no events are available. The null-event is passed (so you can look at mouse position, etc).

Window Objects

Window objects have the following methods, among others:

open()

Override this method to open a window. Store the MacOS window-id in `self.wid` and call `self.do_postopen` to register the window with the parent application.

close()

Override this method to do any special processing on window close. Call `self.do_postclose` to cleanup the parent state.

do_postresize(*width*, *height*, *macoswindowid*)

Called after the window is resized. Override if more needs to be done than calling `InvalRect`.

do_contentclick(*local*, *modifiers*, *event*)

The user clicked in the content part of a window. The arguments are the coordinates (window-relative), the key modifiers and the raw event.

do_update (*macoswindowid*, *event*)

An update event for the window was received. Redraw the window.

do_activate (*activate*, *event*)

The window was activated (*activate*==1) or deactivated (*activate*==0). Handle things like focus highlighting, etc.

ControlsWindow Object

ControlsWindow objects have the following methods besides those of Window objects:

do_controlhit (*window*, *control*, *pcode*, *event*)

Part *pcode* of control *control* was hit by the user. Tracking and such has already been taken care of.

ScrolledWindow Object

ScrolledWindow objects are ControlsWindow objects with the following extra methods:

scrollbars ([*wantx*[], *wanty*])

Create (or destroy) horizontal and vertical scrollbars. The arguments specify which you want (default: both). The scrollbars always have minimum 0 and maximum 32767.

getscrollbarvalues ()

You must supply this method. It should return a tuple (*x*, *y*) giving the current position of the scrollbars (between 0 and 32767). You can return None for either to indicate the whole document is visible in that direction.

updatescrollbars ()

Call this method when the document has changed. It will call `getscrollbarvalues()` and update the scrollbars.

scrollbar_callback (*which*, *what*, *value*)

Supplied by you and called after user interaction. *which* will be 'x' or 'y', *what* will be '-', '--', 'set', '++' or '++'. For 'set', *value* will contain the new scrollbar position.

scalebarvalues (*absmin*, *absmax*, *curmin*, *curmax*)

Auxiliary method to help you calculate values to return from `getscrollbarvalues()`. You pass document minimum and maximum value and topmost (leftmost) and bottommost (rightmost) visible values and it returns the correct number or None.

do_activate (*onoff*, *event*)

Takes care of dimming/highlighting scrollbars when a window becomes frontmost vv. If you override this method call this one at the end of your method.

do_postresize (*width*, *height*, *window*)

Moves scrollbars to the correct position. Call this method initially if you override it.

do_controlhit (*window*, *control*, *pcode*, *event*)

Handles scrollbar interaction. If you override it call this method first, a nonzero return value indicates the hit was in the scrollbars and has been handled.

DialogWindow Objects

DialogWindow objects have the following methods besides those of Window objects:

open (*resid*)

Create the dialog window, from the DLOG resource with id *resid*. The dialog object is stored in `self.wid`.

do_itemhit(*item*, *event*)

Item number *item* was hit. You are responsible for redrawing toggle buttons, etc.

3.12 Standard Module `MiniAEFrame`

The module `MiniAEFrame` provides a framework for an application that can function as an Open Scripting Architecture (OSA) server, i.e. receive and process `AppleEvents`. It can be used in conjunction with `FrameWork` or standalone.

This module is temporary, it will eventually be replaced by a module that handles argument names better and possibly automates making your application scriptable.

The `MiniAEFrame` module defines the following classes:

`AESEServer`()

A class that handles `AppleEvent` dispatch. Your application should subclass this class together with either `MiniApplication` or `FrameWork.Application`. Your `__init__()` method should call the `__init__()` method for both classes.

`MiniApplication`()

A class that is more or less compatible with `FrameWork.Application` but with less functionality. Its event loop supports the apple menu, command-dot and `AppleEvents`; other events are passed on to the Python interpreter and/or Sioux. Useful if your application wants to use `AESEServer` but does not provide its own windows, etc.

AESEServer Objects

`installaehandler`(*classe*, *type*, *callback*)

Installs an `AppleEvent` handler. *classe* and *type* are the four-character OSA Class and Type designators, '****' wildcards are allowed. When a matching `AppleEvent` is received the parameters are decoded and your callback is invoked.

`callback`(*_object*, ***kwargs*)

Your callback is called with the OSA Direct Object as first positional parameter. The other parameters are passed as keyword arguments, with the 4-character designator as name. Three extra keyword parameters are passed: `_class` and `_type` are the Class and Type designators and `_attributes` is a dictionary with the `AppleEvent` attributes.

The return value of your method is packed with `aertools.packedevent()` and sent as reply.

Note that there are some serious problems with the current design. `AppleEvents` which have non-identifier 4-character designators for arguments are not implementable, and it is not possible to return an error to the originator. This will be addressed in a future release.

MODULE INDEX

C

ctb, 6

E

EasyDialogs, 14

F

findertools, 12

FrameWork, 15

I

ic, 10

M

mac, 6

macfs, 7

MacOS, 11

macostools, 12

macpath, 6

macspeech, 13

MiniAERFrame, 18

INDEX

Symbols

`_quit()` (Application method), 16

A

`Abort()` (connection method), 7
`accept()` (connection method), 7
`AEServer` (class in `MiniAERFrame`), 18
Alias Manager, Macintosh, 8
AppleEvents, 13, 18
`Application()` (in module `FrameWork`), 15
`as_pathname()` (FSSpec method), 9
`as_tuple()` (FSSpec method), 9
`AskString()` (in module `EasyDialogs`), 14
`AskYesNoCancel()` (in module `EasyDialogs`), 14
`asyncevents()` (Application method), 16
`Available()` (in module `macspeech`), 13
`available()` (in module `ctb`), 6

B

`Break()` (connection method), 7
`BUFSIZ` (in module `macostools`), 12
`Busy()` (in module `macspeech`), 13

C

`callback` (connection attribute), 6
`callback()` (`AEServer` method), 18
`Choose()` (connection method), 7
`choose*` (in module `ctb`), 6
`Close()` (connection method), 7
`close()` (Window method), 16
`cmAttn` (in module `ctb`), 6
`cmCntl` (in module `ctb`), 6
`cmData` (in module `ctb`), 6
`cmFlagsEOM` (in module `ctb`), 6
`CMNew()` (in module `ctb`), 6
`cmStatus*` (in module `ctb`), 6
Communications Toolbox, Macintosh, 6
Connection Manager, 6
`copy()`
 in module `findertools`, 13
 in module `macostools`, 12
`copytree()` (in module `macostools`), 12
`CountVoices()` (in module `macspeech`), 13
Creator (FInfo attribute), 9
`ctb` (built-in module), 6

D

`data`
 Alias attribute, 9
 FSSpec attribute, 9
`DebugStr()` (in module `MacOS`), 12
`DialogWindow()` (in module `FrameWork`), 15
`do_activate()`
 ScrolledWindow method, 17
 Window method, 17
`do_char()` (Application method), 16
`do_contentclick()` (Window method), 16
`do_controlhit()`
 ControlsWindow method, 17
 ScrolledWindow method, 17
`do_dialogevent()` (Application method), 16
`do_itemhit()` (DialogWindow method), 18
`do_postresize()`
 ScrolledWindow method, 17
 Window method, 16
`do_update()` (Window method), 17

E

`EasyDialogs` (standard module), 14
`Error` (in module `MacOS`), 11
`error`
 in module `ctb`, 6
 in module `ic`, 10

F

`FindApplication()` (in module `macfs`), 8
`findertools` (standard module), 12
`FindFolder()` (in module `macfs`), 8
`FInfo()` (in module `macfs`), 8
`Flags` (FInfo attribute), 10
`Fldr` (FInfo attribute), 10
`FrameWork` (standard module), 15, 18
`FSSpec()` (in module `macfs`), 8

G

`getabouttext()` (Application method), 16
`GetConfig()` (connection method), 7
`GetCreatorType()` (FSSpec method), 9
`GetDates()` (FSSpec method), 9
`GetDirectory()` (in module `macfs`), 8
`GetErrorString()` (in module `MacOS`), 12
`GetFInfo()` (FSSpec method), 9

GetGender() (Voice method), 13
GetIndVoice() (in module macspeech), 13
GetInfo() (Alias method), 9
GetPitch() (Speech Channel method), 14
GetRate() (Speech Channel method), 14
getscrollbarvalues() (ScrolledWindow method), 17

H

HandleEvent() (in module MacOS), 12

I

IC (class in ic), 10
ic (built-in module), **10**
icglue (built-in module), 10
Idle() (connection method), 7
idle() (Application method), 16
installaehandler() (AEServer method), 18

L

launch() (in module findertools), 13
launchurl()
 IC method, 10
 in module ic, 10
Listen() (connection method), 7
Location (FInfo attribute), 10

M

mac (built-in module), **6**
macerrors (standard module), 11
macfs (built-in module), **7**
Macintosh Alias Manager, 8
Macintosh Communications Toolbox, 6
Macintosh Speech Manager, 13
MacOS (built-in module), **11**
macostools (standard module), **12**
macpath (standard module), **6**
macspeech (built-in module), **13**
mainloop() (Application method), 16
makeusermenus() (Application method), 15
mapfile()
 IC method, 11
 in module ic, 10
maptypescreator()
 IC method, 11
 in module ic, 10
Menu() (in module FrameWork), 15
MenuBar() (in module FrameWork), 15
MenuItem() (in module FrameWork), 15
Message() (in module EasyDialogs), 14
MiniAFrame (standard module), **18**
MiniApplication (class in MiniAFrame), 18
mkalias() (in module macostools), 12
move() (in module findertools), 13

N

NewAlias() (FSSpec method), 9
NewAliasMinimal() (FSSpec method), 9

NewAliasMinimalFromFullPath() (in module macfs), 8
NewChannel() (Voice method), 14

O

Open Scripting Architecture, 18
Open() (connection method), 7
open()
 DialogWindow method, 17
 Window method, 16
openrf() (in module MacOS), 12
os (standard module), 6

P

parseurl()
 IC method, 11
 in module ic, 10
posix (built-in module), 6
posixpath (standard module), 6
Print() (in module findertools), 13
ProgressBar() (in module EasyDialogs), 14
PromptGetFile() (in module macfs), 8

R

RawAlias() (in module macfs), 8
RawFSSpec() (in module macfs), 8
Read() (connection method), 7
Reset() (connection method), 7
Resolve() (Alias method), 9
ResolveAliasFile() (in module macfs), 8
restart() (in module findertools), 13

S

scalebarvalues() (ScrolledWindow method), 17
SchedParams() (in module MacOS), 11
scrollbar_callback() (ScrolledWindow method), 17
scrollbars() (ScrolledWindow method), 17
Separator() (in module FrameWork), 15
setarrowcursor() (in module FrameWork), 15
SetConfig() (connection method), 7
SetCreatorType() (FSSpec method), 9
SetDates() (FSSpec method), 9
SetEventHandler() (in module MacOS), 11
SetFInfo() (FSSpec method), 9
SetFolder() (in module macfs), 8
SetPitch() (Speech Channel method), 14
SetRate() (Speech Channel method), 14
settypescreator()
 IC method, 11
 in module ic, 10
setwatchcursor() (in module FrameWork), 15
shutdown() (in module findertools), 13
sleep() (in module findertools), 13
SpeakString() (in module macspeech), 13
SpeakText() (Speech Channel method), 14
Speech Manager, Macintosh, 13

splash() (in module MacOS), 12
Standard File, 8
StandardGetFile() (in module macfs), 8
StandardPutFile() (in module macfs), 8
Status() (connection method), 7
Stop() (Speech Channel method), 14
SubMenu() (in module FrameWork), 15

T

touched() (in module macostools), 12
Type (FInfo attribute), 10

U

Update() (Alias method), 9
updatescrollbars() (ScrolledWindow
method), 17

V

Version() (in module macspeech), 13

W

Window() (in module FrameWork), 15
windowbounds() (in module FrameWork), 15
Write() (connection method), 7